


Amendments to the Claims

1. (Withdrawn) A method for treating pain or anxiety in a patient which comprises administering to a patient in need thereof an effective amount of a compound of formula 1:



(1)

wherein

Ar is phenyl or naphthyl each of which may be substituted by one or more C₁-C₄ alkyl, C₁-C₄ alkoxy, C₁-C₅ acyl, halo, amino, nitro, cyano, hydroxy, C₁-C₅ acylamino, C₁-C₄ alkylsulfonfylamino, mono-, di- or trifluorinated C₁-C₃ alkyl, substituents which may be the same or different and may bear a CONH₂, CONHCH₃, CON(CH₃)₂, CO₂H, CO₂CH₃, OCF₃, CH₂NHCOCH₃, CH₂NH₂, CH₂N(CH₃)₂, CH₂CN, CH₂OH, CH₂NHSO₂CH₃, CH₂N(CH₃)(CH₂)₂CN, CH₂N(CH₃)CH(CH₃)₂, CH₂NHCH(CH₃)₂, CH₂NH(CH₂)₂CH₃, CH₂NHCO₂R⁴, CH₂NHCH₂CH₃, CH₂NHCH₃, NHCOC(CH₃)₂, or N(S(O)₂CH₃)₂ substituent;

R¹ is hydrogen, halo, R⁴, CN, C(NO⁴)R³, (CH₂)₂CO₂R⁴, (CH₂)_nOR³, COR³, CF₃, SR⁴, S(O)R⁴, S(O)₂R⁴, COCH₂CO₂R³, NHSO₂R⁴, NHCOR³, C(NOR³)NH₂, CH₂OCOR³, (CH₂)_nNH₂, CON(CH₃)₂, (CH₂)_nNHCO₂R⁴, CO₂R³, CONH₂, CSNH₂, C(NH)NHOR³, (CH₂)_nN(CH₃)₂, or CONHNHCOR³;

R² is 1,2-ethenediyl or 1,2-ethynediyl;

R³ is hydrogen or C₁-C₄ alkyl;

R⁴ is C₁-C₄ alkyl; and

n is 0, 1, 2, 3 or 4;

or a pharmaceutically acceptable salt thereof; or an N-oxide thereof.

2. (Withdrawn) A method as claimed in Claim 1 wherein


Ar is phenyl or naphthyl each of which may be substituted by C₁-C₄alkyl, C₁-C₄alkoxy, C₁-C₅acyl, halo, amino, nitro, cyano, hydroxy, C₁-C₅ acylamino, C₁-C₄ alkylsulfonylamino or mono-, di- or trifluorinated C₁-C₃ alkyl; and

R¹ is hydrogen, halo, R⁴, CN, C(NOH)R³, C(NOR⁴)R³, (CH₂)CO₂-R⁴, OR³, COR³ or CF₃.

3. (Canceled)

4. (Withdrawn) The method of Claim 1 wherein the patient is a human.

5. (Currently amended) A compound of formula 1:



(1)

wherein

Ar is ~~phenyl or naphthyl each of which may be substituted by one or more C₁-C₄alkyl, C₁-C₄alkoxy, C₁-C₅acyl, halo, amino, nitro, cyano, hydroxy, C₁-C₅acylamino, C₁-C₄alkylsulfonylamino, mono-, di- or trifluorinated C₁-C₄alkyl, substituents which may be the same or different and may bear a~~ CONH₂, CONHCH₃, CON(CH₃)₂, CO₂H, CO₂CH₃, OCF₃, CH₂NHCOCH₃, CH₂NH₂, CH₂N(CH₃)₂, CH₂CN, CH₂OH, CH₂NHSO₂CH₃, CH₂N(CH₃)(CH₂)₂CN, CH₂N(CH₃)CH(CH₃)₂, CH₂NHCH(CH₃)₂, CH₂NH(CH₂)₂CH₃, CH₂NHCO₂R⁴, CH₂NHCH₂CH₃, CH₂NHCH₃, NHCOC(CH₃)₂ or N(S(O)₂CH₃)₂ substituent 2-chlorophenyl, 3-chlorophenyl, 2-fluorophenyl, 3-fluorophenyl, 4-fluorophenyl, 3,4-dimethylphenyl, 3,5-dimethylphenyl, 2,4-dimethylphenyl, 2,5-dimethylphenyl, 2-cyanophenyl, 3-cyanophenyl, 4-cyanophenyl, 2-methoxyphenyl, 3-methoxyphenyl, 4-methoxyphenyl, 4-chlorophenyl, 2-methylphenyl, 3-methylphenyl, 4-methylphenyl, 3,4-difluorophenyl, 3,5-difluorophenyl, 3,4,5-trifluorophenyl, 3-bromophenyl, 3-nitrophenyl, 3-trifluoromethylphenyl, 3-aminophenyl,

3-chloro-4-fluorophenyl, 3-hydroxyphenyl, 3-acetylphenyl, 5-chloro-2-methoxyphenyl, 3-chloro-4-methoxyphenyl, 3-hydroxy-4-fluorophenyl, 3-methoxy-4-fluorophenyl, 3-ethoxy-4-fluorophenyl, 3-isopropoxy-4-fluorophenyl, 3-isopropylphenyl, 3-ethylphenyl, 3-methyl-4-fluorophenyl, 3-trifluoromethyl-4-fluorophenyl, 3-cyano-4-fluorophenyl, 3-amino-4-fluorophenyl, 3-trifluoromethyl-4-fluorophenyl, 3-chloro-4-fluorophenyl, 3-nitro-4-fluorophenyl, 3-aminocarbonyl-4-fluorophenyl, 3-N-methylaminocarbonyl-4-fluorophenyl, 3-N,N-dimethylaminocarbonyl-4-fluorophenyl, 3-carboxyl-4-fluorophenyl, 3-methoxycarbonyl-4-fluorophenyl, 3-acetylaminomethyl-4-fluorophenyl, 3-methylsulfonylaminomethyl-4-fluorophenyl, 3-pivaloylaminomethyl-4-fluorophenyl, 3-trifluoromethoxyphenyl, 3-aminomethyl-4-fluorophenyl, 3-dimethylaminomethyl-4-fluorophenyl, 3-cyanomethyl-4-fluorophenyl, 4-fluoro-3-hydroxymethylphenyl, 3-[(2-cyanoethyl)-methylamino]-methyl-4-fluorophenyl, 4-fluoro-3-[(isopropylmethylamino)-methyl]phenyl, 4-fluoro-3-isopropylaminomethylphenyl, 4-fluoro-3-propylaminomethylphenyl, 3-ethylaminomethyl-4-fluorophenyl, 4-fluoro-3-methylaminomethylphenyl, or 3-isobutylamino-4-fluorophenyl;

R^1 is hydrogen, halo, R^4 , CN, $C(NO)R^3$, $C(NO-R^4)R^3$, $(CH_2)_2CO_2R^4$, $(CH_2)_nOR^3$, COR^3 , CF_3 , SR^4 , $S(O)R^4$, $S(O)_2R^4$, $COCH_2CO_2R^3$, $NHSO_2R^4$, $NHCOR^3$, $C(NOR^3)NH_2$, CH_2OCOR^3 , $(CH_2)_nNH_2$, $CON(CH_3)_2$, $(CH_2)_nNHCO_2R^4$, CO_2R^3 , $CONH_2$, $CSNH_2$, $C(NH)NHOR^3$, $(CH_2)_nN(CH_3)_2$, or $CONHNHCOR^3$;

R^2 is 1,2-ethenediyl or 1,2-ethynediyl;

R^3 is hydrogen or C₁-C₄ alkyl;

R^4 is C₁-C₄ alkyl; and

n is 0; or 1, 2, 3 or 4;

or a pharmaceutically acceptable salt thereof; or an N-oxide thereof; provided that the compound is other than 5-phenylethynyl-nicotinonitrile when Ar is 4-cyanophenyl, R^1 is a value other than CN.

6 - 9. (Canceled)

10. (Currently amended) The compound of Claim 6 5 wherein R^1 is ~~hydrogen~~, bromo, iodo, fluoro, chloro, $C(NO)R^3$, $C(NO-R^4)R^3$, methyl, CN, $CH_2CO_2R^4$, $(CH_2)_nOR^3$, COR^3 , CF_3 , SR^4 , $S(O)R^4$, $S(O)_2R^4$, $COCH_2CO_2R^3$, $NHS(O)_2R^3$, $NHCOR^3$, $CH_2OC(O)R^3$, $(CH_2)_nNH_2$, $CON(CH_3)_2$, $(CH_2)_nNHCOR^4$, CO_2R^3 , $CONH_2$, $CSNH_2$, $C(NH)NHOR^3$, $(CH_2)_nN(CH_3)_2$ or $CONHNHCOR^3$.

11. (Previously presented) The compound of Claim 10 wherein R^3 is hydrogen, methyl, ethyl or *t*-butyl.

12. (Canceled)

13. (Currently amended) The compound of ~~formula 1 as claimed in Claim 12~~ 10 wherein R^1 is CN, iodo, chloro, methyl or COR^3 .

14. (Currently amended) The compound of ~~formula 1 as claimed in Claim 12~~ 10 wherein R^1 is CN.

15 – 16. (Canceled)

17. (Currently amended) The compound of ~~formula 1 as claimed in Claim 12~~ 10 wherein R^3 is methyl.


18. (Currently amended) A compound of ~~formula 1 as claimed in Claim 12~~ 10 wherein R^3 is hydrogen.

19 – 20. (Canceled).

21. (Original) A compound of Claim 5 which is:
5-(4-Fluorophenylethynyl)-nicotinonitrile, 5-(3-Cyanophenylethynyl)-nicotinonitrile or 5-(3,4-difluorophenylethynyl)-nicotinonitrile.


22. (Previously presented) A process for preparing a compound of formula 1 (or a pharmaceutically acceptable salt thereof) as provided in Claim 5 which comprises:

- (a) for a compound of formula 1 in which R^2 is 1,2-ethenediyl, reacting with a compound of formula II



with a compound of formula $Ar-CHCH_2$ in a Heck coupling;

- (b) for a compound of formula 1 in which R^2 is alkynyl, reacting with a compound of formula III



in a Sonogashira coupling with a compound of formula $Ar-I$ or $Ar-Br$ in a suitable solvent;

whereafter, for any of the above procedures, when a pharmaceutically acceptable salt of a compound of formula 1 is required, it is obtained by reacting the basic form of such a compound of formula 1 with an acid affording a physiologically acceptable counterion, or, for a compound of formula 1 which bears an acidic moiety, reacting the acidic form of such a compound of formula 1 with a base which affords a pharmaceutically acceptable cation, or by any other conventional procedure; and wherein, unless more specifically described, the value of R^1 , Ar and R^2 are as defined in Claim 5.

23. (Previously presented) A pharmaceutical composition comprising in association with a pharmaceutically acceptable carrier, diluent or excipient, a compound of formula 1 (or a pharmaceutically acceptable salt thereof) as provided in Claim 5.

24 - 25. (Canceled)

26. (New) The compound of Claim 5 which is 5-(3-Chlorophenylethynyl)-nicotinonitrile or a pharmaceutically acceptable salt thereof.